

We **Must** Have Your Cooperation!!!

7 days prior to surgery, you MUST discontinue and avoid cold remedies, Alka-Seltzer and all Aspirin and aspirin containing products such as Ecotrin and Excedrin, as well as anti-inflammatory drugs such as Aleve, Lodine, Ibuprofen, Advil, Nuprin, Motrin, Naprosyn, Indocin, Orudis, Relafen, Voltaren, Anaprox, Clinoril, & Day-pro. You must also discontinue all vitamins and herbal Ginko Biloba, Ginger, Garlic, Ginseng & Vitamin E. These products **can affect** blood clotting prior to surgery and is an avoidable and unnecessary risk.

7 DAYS PRIOR TO SURGERY, USE ONLY TYLENOL IF NEEDED FOR PAIN!!!

Thank You,

Dr. Coury Staadecker

Medication Information List

Listed below are commonly purchased over-the-counter medications that contain aspirin, thin the blood and therefore prolong bleeding following surgery. **Avoid taking these medications within 10 days of your scheduled surgical procedure as it could lead to postponement of your procedure.**

Actabs	A.S.A Enseals	A.S.A Tabs/Aspirin	Advil
Aleve	Alka Seltzer	Aluprin	Anacin
Anacin Tablets	Anaprox	Arthralgen	Arthritis Pain
Arthropan Liquid	Ascriptin Tabs	Aspergum	Aspirin
BAC Tabs/Caps	Backache Formula Tabs	Bayer (all types)	Bufferin (all types)
Butazolodin	Carna Arthritis Pain	Codasa	Cogesic
Comeback	Congesprin	Cope	Coricidin
Cosprin	Darcon Compound	Darvon #65	Darvon Compound
Darvon with ASA Pulvules	Darvon-N with ASA	Dasin Caps	Disaleid Caps
Doan's Pills	Dolor	Dristan	Duradyne Tabs
Duramed	Easprin	Ecotrin	Empirin
Empirin with Codeine	Encaprin	Equagesic Tabs	Excedrin Tabs/Caps
Feldene	Fenoprofen	Fiorinal	Fiornal with Codeine
Formagesic	Four Way Cold Tabs	Goody's Headache Powder	Ibuprofen
Indocin	Indomethacin	Liquiprin	Magan Tabs
Magsal Tabs	Maximum Bayer	Measurin Caps	Methocarbamol
Micrainin	Midol	Mobidin Tabs	Mobigesic Tabs
Momentum	Motrin	MuscularTalwin Compound	Nalfon
Naprosyn	Norgesic	Norgesic Forte Tabs	Nuprin
Nyquil	Nytol	Os-Cal-Gesic Tablets	Oxyphenbutazone
P.M.S.	Pabalate	Pabalate-SF Tabs	Pamprin
Pepto-Bismol	Percodan-Demi Tabs	PercodanAxotal Tabs	Persisten
Phenaphen	Phenylbutazone	Plavix	Propoxyphene
Propoxyphene #65	Quiet World	Resolve	Robaxisal
Rufen	Sin-Off Sinus Medication	Sine-Aid	Sodium Salicylate
Sominex	St. Joseph (all types)	Stanback	Supac Tabs
Sure Sleep	Synalogos Caps	Tanearil	Triaminicin Tabs
Trigesic	Trilisates Tabs/Liquid	Vanquish	Zorprin Tabs

Please consult the prescribing physician before discontinuation of the following medications:

Persantine Coumadin Heparin Pradaxa

Note: Tylenol (any strength) does not cause increased surgical bleeding